

Кулисные переключатели

Features

- Power switch conforms to safety standards for electrical equipment.
- Compact with a good space factor.
- Snap-in type for easy mounting.
- The color can be changed to correspond to the set design.



E88392 

Applications

- Information and office equipment such as personal computers, word processors, facsimiles, monitors, etc.

Specifications

ITEM	STANDARD
Rating	10A 125V AC/ 6A 250V AC, 4A 125VAC/2A 250VAC
Insulation Resistance	100M Ω min (DC 500V)
Dielectric Strength	AC 1500V (50/60Hz for 1 minute)
Contact Resistance	50m Ω max.
Electrically Life	10,000 cycle
Operating Force	400 \pm 200 gf

Product Selection

R9 —

SERIES


FUNCTION

CODE	ON	OFF
2 <input type="checkbox"/> A	ON	OFF
3 <input type="checkbox"/> B	ON	ON
2 <input type="checkbox"/> C	ON	OFF
3 <input type="checkbox"/> D	(ON - OFF)	
3 <input type="checkbox"/> E	(ON) -	ON
3 <input type="checkbox"/> F	(ON) - OFF -	(ON)
2 <input type="checkbox"/> AL	ON	OFF (With LED)
32ALP	ON	OFF (With Lamp)

ACTUATOR MARKING OPTION




CODE	MARKING
N	NONE
P	— ○
Q	○
R	●
S	○
T	⊗ ⊙

PANEL HOLE SIZE



PANEL THICKNESS	DIM. X	DIM. Y
0.75 ~ 1.25	19.2	13.0
1.25 ~ 2.0	19.4	13.0
2.0 ~ 3.0	19.6	13.0

Terminal Type

TERMINAL TYPE					
CODE	TERMINAL	CODE	TERMINAL	CODE	TERMINAL
2 PIN		3 Soldering		4 PCB	

Кулисные переключатели

Dimensions

UNIT:mm

Item NO.	Dimensions	Function	Circuit												
R9-22A		<table border="1"> <tr><th colspan="2">SWITCHING FUNCTION</th></tr> <tr><td></td><td></td></tr> <tr><td>OFF</td><td>ON</td></tr> </table> <p>Panel hole size</p>	SWITCHING FUNCTION				OFF	ON							
SWITCHING FUNCTION															
OFF	ON														
R9-33B		<table border="1"> <tr><th colspan="2">SWITCHING FUNCTION</th></tr> <tr><td></td><td></td></tr> <tr><td>ON</td><td>ON</td></tr> </table> <p>Panel hole size</p>	SWITCHING FUNCTION				ON	ON							
SWITCHING FUNCTION															
ON	ON														
R9-24A		<table border="1"> <tr><th colspan="3">SWITCHING FUNCTION</th></tr> <tr><td></td><td></td><td></td></tr> <tr><td>ON</td><td>NONE</td><td>ON</td></tr> </table> <p>Panel hole size</p> <p>Mounting holes</p>	SWITCHING FUNCTION						ON	NONE	ON	<p>3-φ1.5</p> <p>Mounting holes</p>			
SWITCHING FUNCTION															
ON	NONE	ON													
R9-32F		<table border="1"> <tr><th colspan="3">SWITCHING FUNCTION</th></tr> <tr><th>CODE</th><td></td><td></td></tr> <tr><td>OFF</td><td>ON</td><td>OFF</td></tr> <tr><td>ALP</td><td>ON</td><td>OFF (With LAMP)</td></tr> </table> <p>Panel hole size</p>	SWITCHING FUNCTION			CODE			OFF	ON	OFF	ALP	ON	OFF (With LAMP)	
SWITCHING FUNCTION															
CODE															
OFF	ON	OFF													
ALP	ON	OFF (With LAMP)													